

A Survey on Indian Coin Detection Techniques Using Digital Image Processing

Nida Rahman¹, Mr. Jay Kant Pratap Singh²

Research Scholar, Dept of Computer Science and Engineering, Noida Institute of Engineering and Technology,
Uttar Pradesh Technical University, Greater Noida, Uttar Pradesh, India¹

Assistant Professor, Department of Computer Science and Engineering, Noida Institute of Engineering and
Technology, Uttar Pradesh Technical University, Greater Noida, Uttar Pradesh, India²

Abstract: We proposed a method for Indian coin detection under varying lighting conditions. The basic idea behind our method is to extract features of known coins and put in a database. And when a new coin is entered its features are compared with the images of the coin that stored in the database. We trained our system under different lighting conditions. We assumed different lighting intensities, which occurs due to various reasons such as power fluctuations. We tried to detect Indian coin value under these conditions. This work basically involved automatic detection and recognition of Indian coin using morphological operations of image processing. Image processing is a process in which an input image is transformed into digital image form and performs some operation on it, In order to get high image property and to extract some useful information from it. This work is a prototype simulation and a proof of concept. The application of this work ranges from simple vending machines to automatic mobile recharging. In this thesis, we use MATLAB based simulation to obtain our result.

Keywords: Edge detection, Segmentation, Thresholding, Edge enhancement, Features extraction, Patter matching.

I. INTRODUCTION

The ability to recognize the value of different forms of currency is a necessary skill in the everyday life of most human beings. In order to automate monetary transactions, it is necessary to enable computers to perform such recognition as well. Towards this end, we created a system that could correctly identify coins.

Banks uses bill counting machine to enumerate the money. But when the customer wants to pay a large number of cash into the bank, bank staffs may make mistakes to calculate the total value and number of one rupee, two rupee, five rupee, and ten rupee coins used. Some coins from different foreign currency look similar. So sometimes it is difficult to distinguish them by using human eyes, especially for large amount of coins. Besides this, because of the globalization, the banks often receive foreign currency that the staff may not recognize. The charities face the same situation as the bank, because the donators come from all over the world. So it is necessary to develop a system that can help them to recognize and calculate the money that they receive [1].

Many researchers have used morphological operations for Indian coin value detection. In a morphological operation, the value of each pixel in the output image is based on a comparison of the corresponding pixel in the input image with its neighbours. Many researchers have used morphological operations for Indian coin value detection. Morphological image processing is a collection of non-linear operations related to the shape or morphology of

features in an image. Morphological operations rely only on the relative ordering of pixel values, not on their numerical values, and therefore are especially suited to the processing of binary images. Morphological operations can also be applied to grey scale images such that their light transfer functions are unknown and therefore their absolute pixel values are of no or minor interest[3].

So we propose method for Indian coin value detection by morphological technique under varying light intensity and standard distance between coin and webcam. However they assume that the condition of the lightning on the coin is not uniform. So we tried to detect Indian coin value under these varying light conditions.

II. REVIEW OF RELATED LITERATURE

There are various approaches proposed by various researchers for image based coin recognition.

1. Image Based Approach for Coin Recognition:

In 2009[6] by Linlin Shen et al. presented an image based approach for coin recognition. In this paper Gabor wavelets are used to extract features. Coin images is divided into number of small sections by concentric ring structures. Then Gabor coefficient from each section is concatenated to form feature vectors. Then these feature vector are compared with the feature vector of saved images in database. This algorithm shows the recognition accuracy rate of 74.27%.

2. An Efficient Method for Coin Recognition Using a Statistical Approach:

In 2010[7] by Hussein R. Al- Zoubi proposed An Efficient Method for Coin Recognition Using a Statistical Approach. In this paper statistical methods are used to recognize Jordanian coins. In this approach main focus is on area and color of coins. First of all coin image is converted to grey scale image then grey image is segmented into two regions coin and background based on the histogram of image. Then segmented is cleared and then four parameters i.e. area, average red, average green and average blue are calculated. Then based on these parameters decision is made that to which category the coin belongs. This approach yields high recognition rate 97% which is very encouraging.

3. An Approach Based on Image Subtraction Technique for Recognition of Indian Coin:

In 2011[8] Vaibhav Gupta et al. presented an approach based on image subtraction technique for recognition of Indian Coins. In this approach system performs 3 checks (radius, coarse and fine) on the input coin image. First of all radius is calculated of the input image. Then based on radius a test image (rotated at certain fixed angel) from database is selected. Then coarse image subtraction between object and test image is done. Then, minima of the resultant image is checked if it is less than a specified threshold then fine image subtraction between object and test image is done otherwise new test image is selected. Then based on fine image subtraction, recognition takes place.

4. Indian Coin Matching and Counting Using Edge Detection Technique:

According to [1], the author Malatesh M, B.N Veerappa, Anitha G (2015) wanted to improve the problem of efficiency of detecting Indian coin. The user proposed a method for coin recognition consists of image acquisition then he used image segmentation, edge enhancement, edge detection, blob measurements and finally count the total value of the coins. The most appropriate computation strategy used in this paper should be graph matching. According to this strategy, the coins should be classified into different groups by their features. The features used in this paper could be the colors and the radiuses. The result of [1] was that recognition of coin using morphological operations shows positive signs for coin identification. He used image segmentation as the first step which reduces total time requires executing the program. Then he did Edge enhancement that provides the clear edges of the coins to improve accuracy for coin detection. Finally, he finished with blob measurements which are provided to give precise results

5. Study of Indian coin identification by using Blob detection technique:


According to author [2] the author Shivanand S.Rumma (2015), their research objective was to develop an automated system using morphological recognition

algorithm. In which image is captured by the camera and converted into gray scale image for pre-processing. After conversion, image complemented, binary conversion is applied on the image. After conversion canny edge detection method has done and passed this detection to the dilation process. After filtration and dilation, the area is selected where a number of coins are maximum and coins are recognized from the image in the form of the bounding box. Blob analysis is used for each coin separately to detect Indian coins.

III. RESEARCH METHODOLOY

There are various approaches proposed by various researchers for image based coin recognition. The following flow chart shows basic steps in our proposed method:

There are various approaches proposed by various researchers for image based coin recognition.



As the above flowchart shows the system is divided into two parts training and testing, in training phase the database is constructed while testing is used to classify a new image.

Our system comprises of two basic steps. One is training and another is testing. In training phase known coins are provided to the system. The features of these known coins are extracted and are stored in a database.

During testing phase an unknown coin is input, and its features are extracted. Then the distance between these features and those stored are compared. The coin is recognized based on the closeness with one of the stored features.

1. Size (radius)
2. Texture (GLCM)

3. Color (Color moments)
4. Edge Histogram

Let us now discuss each step in detail:

A. Phase 1: Training

Step 1: All the images names in folder, where this file is placed, with '.bmp' extension are stored in files.

Step 2: The following steps are applied on all the images one by one.

Step 3: The images is read using imread command.

Step 4: To make all images of same size then the image is resized to 128x128 dimensions.

Step 5: The coin is segmented using segment Image.

Step 6: The binary image created is used to calculate diameter of coin.

Step 7: Features of coin are calculated using totalfeature and stored in currency structure in feature field.

Step 8: The image name before the '-' is considered as the image label and saved in currency structure in name field.

Step 9: Radius of the coin is stored in currency structure in radius field.

Step 10: The currency variable is saved in 'data.mat' file.

B. Phase 2: Testing

Step 1: Show input dialog box and record file name and path.

Step 2: Read specified image using imread.

Step 3: Resize the image.

Step 4: Segment the image.

Step 5: Calculate its radius.

Step 6: Load the database.

Step 7: Read all the radius in the database.

Step 8: Check if the radius of given coin matches the one in database +/- 'th2'.

Step 9: If the radius is not matched display "not a coin" and exit else execute following steps.

Step 10: Calculate image features using total features.

Step 11: Calculate Euclidean distance of feature of image with ones in database.

Step 12: Find the feature index having minimum distance.

Step 13: If distance is less than specified threshold the display the Label corresponding to that feature.

Step 14: Else display 'No match found'

IV. CONCLUSION

The Indian coin detection based on feature extraction was implemented in this work. We found that the performance was excellent when the tested coin is put under same lighting condition as that during training phase. We found that color moments in L, U, V space provided capability required for light invariant detection. Thus even when we input coins with new lighting condition, our system worked in a reasonably good way. The system's performance can be further increased by using Artificial Neural Network for training with extracted features. Further, we should take much larger sample space to come up with better training features.

ACKNOWLEDGMENT

We thanks **Mr. Jay Kant Pratap Singh**, Department of Computer Science and Engineering, Noida Institute of Engineering and Technology, Greater Noida, for his constant support and guidance throughout the course of whole survey.

REFERENCES

- [1] Matlesh M, B.N Veerappa, Anitha G, February 2015. Indian coin matching and counting using edge detection technique, International journal of innovative research in computer and communication engineering IJIRCCE Karnataka India Vol. 3 Issue 2 pp.2320-9801
- [2] Shivanand S. Rumma, December 2015. Study of indian coin identification by using Blob detection technique international journal on recent and innovation trend in computing and communication IJIRCCE. Karnataka, India Vol. 3, issue: 12 pp. 6865-6858
- [3] https://en.wikipedia.org/wiki/Mathematical_morphology
- [4] P.Durga Devi1, M.Chandrakala, February 2016. Morphological based Segmentation and Recognition of Indian Coins. SSRG International Journal of Electronics and Communication Engineering (SSRG-IJECE), Hyderabad, Telangana, India Vol. 3 Issue 2
- [5] In 2004 Seth McNeill et al. presented a coin recognition system to recognize US coins using vector quantization and histogram modeling.
- [6] Shen, L, Jia, S., Ji, Z and Chen, W.S., "Statistics of Gabor features for coin recognition" IEEE international workshop on imaging system and techniques 2009, pp.295-298.
- [7] Al- Zoubi, H.R, "Efficient coin recognition using a statistical approach", 2010
- [8] IEEE International Conference on Electro/ Information Technology 2010, pp1-5
- [9] Gupta, V., Puri, R., Verma, M., "Prompt indian coin recognition with rotation invariance using image subtraction technique", International conference on devices and communication, 2011, pp1-5.