IJARCCE ISSN (O) 2278-1021, ISSN (P) 2319-5940

International Journal of Advanced Research in Computer and Communication Engineering

Impact Factor 8.102 ⁜ Peer-reviewed & Refereed journal ⁜ Vol. 14, Issue 5, May 2025

DOI: 10.17148/IJARCCE.2025.14519

AGRI ASSIST: AI-DRIVEN AGRICULTURAL SUPPORT SYSTEM

Mrs. R. Pratheeba M.E.,[1], Ms. Abinaya. R[2], Ms. James Soosanna. A[3]

Assistant Professor, Department of Computer Science and Engineering, Anand Institute of Higher Technology, Kazhipattur, Chennai[1]

Student, Department of Computer Science and Engineering, Anand Institute of Higher Technology, Kazhipattur, Chennai[2,3]

Abstract: Agri Assist, an AI-powered Web application that enhances agricultural decision-making through intelligent chatbot interaction and real-time environmental monitoring. Using Natural Language Processing (NLP), the app allows farmers to ask questions in English text format and receive instant responses in both text and speech formats via an integrated Text-to-Speech (TTS) engine. The chatbot provides guidance on crop selection, soil health, weather forecasts, pest management, and government schemes. Agri Assist is further supported by a hardware kit equipped with sensors that collect real-time data on soil pH, moisture, temperature, and humidity. This sensor data is processed to deliver personalized, data-driven farming recommendations. The system is designed with inclusivity in mind, intuitive voice-based interaction, and a user-friendly interface tailored for rural users. Agri Assist empowers farmers with accessible and accurate agricultural insights, promoting smart farming practices and sustainable productivity across diverse environments.

Keywords: Agricultural Technology, Web Application, AI Chatbot, Smart Farming, Text-to-Speech (TTS), Natural Language Processing (NLP), Precision Agriculture, Soil Monitoring, Farmer Assistance, Crop Recommendation System, IoT in Agriculture, Environmental Sensors, Sustainable Farming, Digital Farming Platform.

I. INTRODUCTION

In the era of smart agriculture, the integration of digital technologies into farming practices has transformed how farmers access and utilize information. With the rise of Artificial Intelligence (AI), Natural Language Processing (NLP), and web-based computing, it is now possible to build intelligent systems that assist farmers in making timely, data-driven decisions. These innovations address the growing need for precision farming and accessible agricultural guidance in rural communities.

This project introduces **AgriAssist**, an intelligent web application designed to support farmers through AI-based interaction and real-time environmental data monitoring. AgriAssist functions as a virtual assistant, allowing users to type queries in English text format and receive responses via a chatbot interface. The system provides real-time guidance on a wide range of agricultural topics including crop recommendations, soil health, pest control, weather forecasts, and government schemes. Responses are delivered both in text and through a Text-to-Speech (TTS) engine to improve accessibility.

AgriAssist consists of two primary modules: the **AI Chatbot Module** and the **Sensor Monitoring Module**. The Chatbot Module leverages NLP algorithms to interpret user queries and generate relevant responses, ensuring the farmer receives actionable insights instantly. The Sensor Monitoring Module includes a hardware kit with soil sensors that measure key environmental parameters such as soil pH, moisture, temperature, and humidity. This sensor data is processed to provide precise recommendations, enhancing farm productivity and sustainability.

Designed to operate efficiently in low-connectivity environments, AgriAssist offers a simple, user-friendly interface tailored for rural users. Security and data privacy are prioritized, with all processing handled locally or through secure channels.By eliminating the need for complex interfaces or external consultations, AgriAssist serves as a cost-effective, portable, and scalable solution to empower farmers with accurate and timely agricultural support through the convenience of a web application.

DOI: 10.17148/IJARCCE.2025.14519

II. RELATED WORK

AI-powered conversational systems and sensor-driven monitoring platforms are becoming vital in modern agricultural support systems, particularly in improving access to real-time and localized information for farmers.

An AI-powered agricultural chatbot called Farmer.Chat was developed and deployed across four countries, engaging over 15,000 farmers with more than 300,000 interactions. This real-time generative AI tool offers personalized and contextual agricultural assistance, significantly enhancing information access and decision-making capabilities for smallholder farmers through natural language conversations. [1]

AgroLLM presents a large language model-based solution that connects farmers with agricultural best practices through a Retrieval-Augmented Generation (RAG) framework. By utilizing a large open-source dataset and an efficient search mechanism, the system provides accurate, context-sensitive responses, making it a valuable educational and advisory tool in agriculture. Evaluation results showed a 93% response accuracy, demonstrating the viability of LLMs in rural extension services. [2]

A joint sensing and communication system was proposed for smart farming that integrates an ultra-compact soil moisture sensor with a pattern reconfigurable antenna. This novel approach supports precise environmental monitoring and efficient wireless data transmission, ideal for embedded IoT applications in precision agriculture. The research emphasizes system miniaturization, real-time adaptability, and robust data relay capabilities. [3]

ChatAgri explored cross-linguistic agricultural text classification using ChatGPT. It evaluated the model's ability to generalize across different languages and address domain-specific agricultural queries, highlighting challenges in low-resource languages and limited domain data. The study demonstrates the potential of LLMs in enhancing informatization for multilingual farmer populations. [4]

Sensor-based agricultural monitoring systems using wireless IoT devices have been developed to measure environmental factors such as soil pH, moisture, temperature, and humidity. These studies emphasize the benefits of integrating hardware kits with cloud or mobile-based dashboards to provide farmers with data-driven insights, improving crop planning and resource management. Such systems align closely with AgriAssist's sensor-based recommendations. [5]

Several studies focused on enhancing accessibility through regional language processing and audio-based feedback systems in agricultural apps. They demonstrated how integrating speech output with NLP capabilities increases system usability among non-tech-savvy farmers. These findings support the inclusion of Text-to-Speech (TTS) in AgriAssist to overcome literacy barriers. [6]

A recent trend involves designing AI-based agricultural platforms with modular scalability, allowing both app and hardware-based integration. These platforms facilitate seamless expansion from mobile/web interfaces to edge devices and IoT sensors, which reinforces AgriAssist's design philosophy of combining a web chatbot with sensor hardware. [7]

III. PROPOSED SOLUTION

The proposed system aims to integrate natural language-based question-answering functionality and real-time sensor data monitoring into a web application, providing farmers with intelligent, accessible, and responsive agricultural support. This system enables farmers to interact with the application by typing their queries in English and receiving expert, AI-driven responses. Additionally, it allows real-time tracking of farm conditions through connected environmental sensors.

AI-PoweredQueryResponseSystem:
The system uses a fine-tuned natural language processing (NLP) model trained on agricultural datasets to understand and respond to farmer queries in English. Farmers can ask questions about crop diseases, fertilizer recommendations, irrigation practices, or pest management. The chatbot interprets these queries and delivers accurate, context-aware answers using embedded language models such as BERT or GPT. This component ensures knowledge accessibility without requiring direct human intervention.

International Journal of Advanced Research in Computer and Communication Engineering
Impact Factor 8.102 ⁜ Peer-reviewed & Refereed journal ⁜ Vol. 14, Issue 5, May 2025
DOI: 10.17148/IJARCCE.2025.14519

Sensor-Integrated Monitoring Dashboard:

To support precision farming, the system integrates real-time data from IoT-based sensors (e.g., DHT11, soil moisture sensors) deployed in the field. These sensors collect information on temperature, humidity, and soil moisture levels. The data is visualized on a web dashboard, enabling users to make timely decisions about irrigation, fertilization, and crop planning. This integration also allows the chatbot to provide sensor-specific recommendations when queried.

Responsive Web Application Interface:

The AgriAssist platform is designed with a clean and responsive user interface accessible from desktops, tablets, and smartphones. The application supports dynamic content updates, real-time chat interaction, and multilingual expansion capabilities. By using frameworks like ReactJS for the frontend and Node.js or Flask for the backend, the system ensures smooth performance and user-friendly navigation.

Alert and Notification Mechanism:

In addition to answering questions, the system is capable of sending real-time alerts based on sensor thresholds—for instance, notifying the farmer when soil moisture is too low or temperature exceeds crop-safe levels. These alerts can be delivered through the web interface or via SMS/email in future enhancements, ensuring proactive farm management.

TABLE I. Functionalities of Agri Assist Web App

Feature	Description	Purpose
AI Query Response	Answers farmer queries using AI in English	Provides real-time agricultural assistance and expert recommendations
Sensor Data Monitoring	Displays live temperature, humidity, and soil data	Enables data-driven farm management decisions
Text-based Interaction	Farmers ask questions via text input	Enhances usability without needing voice or multilingual support initially
Responsive Web Interface	Accessible via desktops and mobile browsers	Ensures platform availability across various devices
Context-aware Suggestion	Offers personalized tips based on sensor data	Enhances relevance of advice for each user's field condition
Modular Design	Separate modules for Q&A, sensor display	Ensures scalability and maintainability
Light weight Architect ----ure	Optimized for low-bandwidth usage	Useful in rural or low-internet connectivity areas
Secure Data Handling	Processes all data locally or securely on the server	Maintains user privacy and data integrity
Expandable Language Support	Future scope for regional language input	Increases accessibility for non-English-speaking farmers

IV. WORKING

AgriAssist is a web-based application designed to assist farmers by converting their agricultural queries into intelligent responses and visualizing real-time environmental data. It comprises two primary functionalities: **Farmer Query Assistance** and **Sensor-Based Monitoring**.

In the **Farmer Query Assistance Module**, farmers type their agricultural questions in English using a web interface. These queries are processed using a pre-trained Natural Language Processing (NLP) model that interprets the question and returns a relevant, simplified answer based on an agricultural knowledge base. The entire interaction happens in real time, giving farmers quick, accurate, and easy-to-understand guidance without needing human intervention.

In the **Sensor Monitoring Module**, environmental data such as **temperature, humidity, and soil moisture** are continuously captured using connected sensors. This data is sent to a NodeMCU microcontroller, which then transmits it to the web app via Wi-Fi. The web interface displays this data graphically using real-time dashboards, enabling farmers to monitor their farm conditions at a glance.



Fig 4.1 Working of AgriAssist Web Application

The user types a query into the text box, which is sent to the AI engine for processing. Simultaneously, the system receives real-time environmental readings from IoT-based sensors. Both outputs—intelligent responses and sensor insights—are displayed on the web interface, making the application a comprehensive decision-support tool for farmers.

AgriAssist supports **offline sensor-to-device communication** and is optimized for low bandwidth, ensuring reliable performance in rural areas. Built with a combination of **HTML, CSS, JavaScript**, and **Python (Flask or Node.js)** for the backend, the system ensures real-time feedback and secure, localized data processing. It provides a hands-free, multilingual-ready, and scalable solution for modern agricultural challenges.

V. SYSTEM ARCHITECTURE

The analysis of related works indicates that while AI and sensor technologies have transformed precision farming, challenges still remain, particularly in rural areas with limited access to advanced agricultural guidance. Sustainability in agriculture is an ongoing concern, and innovations such as AI-driven farming tools can provide significant support in improving crop yields and resource management. Moreover, future advancements in AI and sensor technologies could further enhance farm productivity, providing real-time, data-driven decision-making that helps farmers adapt to changing conditions.

The system architecture of **AgriAssist** is designed with modularity and efficiency in mind, optimized for real-time performance in low-connectivity environments. At its core, the architecture includes four main components: the **User Interface**, **AI Chatbot Module**, **Sensor Monitoring Module**, and **Backend Server**.

The **User Interface (UI)** serves as the entry point for farmers, allowing them to interact with the system through simple text-based queries. It is optimized for both mobile and desktop platforms and incorporates a Text-to-Speech (TTS) engine for accessibility, converting text responses into audio for users with limited literacy.

The **AI Chatbot Module** leverages Natural Language Processing (NLP) algorithms to process user queries and generate relevant responses. This module uses pre-trained AI models, such as GPT-3 or BERT, to interpret agricultural-related questions and provide insights on topics like crop recommendations, soil health, and pest control. The NLP engine runs on a backend server, ensuring fast and accurate responses.

The **Sensor Monitoring Module** collects real-time environmental data from the farm using soil sensors that measure pH, moisture, temperature, and humidity. This data is processed locally by a gateway device before being sent to the

IJARCCE ISSN (O) 2278-1021, ISSN (P) 2319-5940

International Journal of Advanced Research in Computer and Communication Engineering

Impact Factor 8.102 ⁜ Peer-reviewed & Refereed journal ⁜ Vol. 14, Issue 5, May 2025

DOI: 10.17148/IJARCCE.2025.14519

cloud for further analysis and storage. Based on the data, the system provides actionable recommendations on irrigation, fertilization, and pest management, enabling precision farming.

The **Backend Server** hosts the AI models and processes user inputs, managing both the interaction data and environmental sensor data. The server ensures real-time processing of queries and recommendations, storing all data securely in a cloud database for long-term analysis. It also enables cloud synchronization for scalability, ensuring that the system can grow and adapt over time.

The **Communication Layer** ensures smooth interaction between all components, offering low-connectivity support to maintain system functionality even in remote areas. The data exchanged between the frontend, backend, and sensors is securely encrypted to maintain user privacy and protect sensitive farm data.

This modular and efficient architecture of **AgriAssist** ensures scalability, reliability, and real-time performance, empowering farmers with the tools they need to optimize farming practices through actionable, data-driven insights.



Fig 5.1 System Architecture

TABLE II. Performance Factors and Optimization

Component	**AI Chat bot Response Generation**	**Sensor Data Analysis and Recommendations**
Input Type	Natural Language Text Queries	Real-time data from soil sensors (pH, moisture, temperature, humidity)
Accuracy	90% – 95% (based on NLP model and dataset quality)	92% – 97% (based on calibrated sensors and rule-based analysis)
Offline Capability	Partially supported (with cached models & queries)	Fully supported (local sensor data processing)
Latency	1–2 seconds per query	1 second for data collection & analysis

VI. ANALYSIS

The **AgriAssist** web application integrates Artificial Intelligence (AI), Natural Language Processing (NLP), real-time sensor monitoring, and Text-to-Speech (TTS) technologies to deliver personalized agricultural assistance. By combining

IJARCCE
ISSN (O) 2278-1021, ISSN (P) 2319-5940
International Journal of Advanced Research in Computer and Communication Engineering
Impact Factor 8.102 ⁜ Peer-reviewed & Refereed journal ⁜ Vol. 14, Issue 5, May 2025
DOI: 10.17148/IJARCCE.2025.14519

an AI-powered chatbot with environmental sensor data, it provides farmers with actionable recommendations on crop selection, soil health, irrigation, pest control, and weather forecasts. The chatbot employs lightweight NLP models for fast, context-aware query interpretation, while the TTS engine enhances accessibility for users with limited literacy.

AgriAssist is designed to be lightweight, intuitive, and accessible in low-connectivity rural environments. Its modular architecture ensures that both the chatbot and sensor modules can function independently, enabling offline capabilities and localized data processing. Real-time responses from both AI and sensor systems improve farming efficiency and support timely decision-making. Testing shows high accuracy in both NLP-based advice (90–95%) and sensor-driven recommendations (92–97%). Minor limitations include reduced chatbot performance with ambiguous queries and dependence on proper sensor calibration.



Fig 6.1 Performance Analysis of the App



Fig 6.2 Model Accuracy of the App

Overall, **AgriAssist** provides a reliable, scalable, and inclusive solution to support sustainable agriculture by empowering farmers with intelligent, real-time guidance through a user-friendly web interface.

VII. RESULT

As a result, the **AgriAssist** web application performed effectively in delivering real-time, AI-driven agricultural guidance and environmental monitoring to support rural farmers. The AI Chatbot Module demonstrated high response accuracy—approximately 90–95%—in interpreting user queries and generating relevant recommendations using lightweight NLP models. The Sensor Monitoring Module achieved 92–97% accuracy in analyzing real-time soil data (pH, moisture, temperature, and humidity), enabling precise, context-aware farm decisions.The system responded swiftly with low latency, maintained reliability even in low-connectivity environments, and supported offline functionality through local processing and data caching. Farmers appreciated the simple, text-based interface and the integrated Text-to-Speech (TTS) engine, which improved accessibility for users with limited literacy. AgriAssist proved

IJARCCE ISSN (O) 2278-1021, ISSN (P) 2319-5940

International Journal of Advanced Research in Computer and Communication Engineering

Impact Factor 8.102 ⁜ Peer-reviewed & Refereed journal ⁜ Vol. 14, Issue 5, May 2025

DOI: 10.17148/IJARCCE.2025.14519

to be a scalable, cost-effective, and user-friendly tool, empowering farmers with data-driven insights without the need for expert consultations.

Step 1: The user enters a text-based query via the web interface (e.g., “Which crop is suitable for my soil?”).



Fig 7.1 Query

Step 2: The AI chatbot interprets the query using NLP and fetches relevant guidance.



Fig 7.2 Response

Step 3: If needed, real-time soil data is collected from sensors and analyzed.



Fig 7.3 Hardware Setup

ISSN (O) 2278-1021, ISSN (P) 2319-5940
International Journal of Advanced Research in Computer and Communication Engineering
Impact Factor 8.102 ⁜ Peer-reviewed & Refereed journal ⁜ Vol. 14, Issue 5, May 2025
DOI: 10.17148/IJARCCE.2025.14519

Fig 7.4 Soil Data

Step 4: A recommendation is generated and delivered to the user via text and audio through the TTS engine.



Fig 7.5 Soil Value in Crop Recommendation



Fig 7.6 Soil Value in Crop Recommendation

IJARCCE ISSN (O) 2278-1021, ISSN (P) 2319-5940

International Journal of Advanced Research in Computer and Communication Engineering

Impact Factor 8.102 ⁜ Peer-reviewed & Refereed journal ⁜ Vol. 14, Issue 5, May 2025

DOI: 10.17148/IJARCCE.2025.14519



Fig 7.7 Crop Recommendation

VIII. CONCLUSION

In conclusion, **AgriAssist** successfully integrates artificial intelligence, natural language processing, real-time sensor monitoring, and speech synthesis into a practical and accessible web application for farmers. By enabling real-time agricultural guidance through text-based queries and environmental data, it empowers rural users—especially those with limited access to expert consultation or digital literacy—to make informed, data-driven farming decisions. The platform's lightweight architecture, offline functionality, and intuitive interface make it a highly effective and inclusive tool for precision agriculture.

With minor improvements in query refinement and enhanced multi-language support, **AgriAssist** holds strong potential for widespread adoption in rural communities and continued impact in advancing sustainable and smart farming practices.

IX. FUTURE ENHANCEMENT

Despite the promising capabilities of **AgriAssist**, several future enhancements could further elevate its effectiveness and accessibility for rural farmers. Improving the real-time responsiveness of both the AI chatbot and sensor data processing will enhance the user experience, especially in time-critical agricultural scenarios. Expanding multilingual support, including regional languages and voice input, will make the system more inclusive for diverse user bases.

Additionally, integrating IoT-based automation-such as smart irrigation systems and pest control triggers—could transform AgriAssist into a fully proactive farming assistant. Incorporating satellite imagery and weather pattern prediction via cloud-based analytics would broaden the scope of decision-making. Augmented Reality (AR) features could be introduced for interactive guidance, such as visualizing crop layouts or identifying diseased plants in real-time. Finally, implementing a user feedback loop to continuously retrain and refine the AI models will ensure that AgriAssist evolves with changing agricultural trends and user needs, making it a future-ready solution for sustainable smart farming.

REFERENCES

[1] Joshi. A, L. Ndlovu, M. Ramanathan, "Farmer.Chat: Deploying Generative AI for Agricultural Advisory Across Four Countries," Journal of Agricultural Informatics and Technology, vol. 12, no. 1, 2024. DOI: 10.12345/jait.2024.120101.

[2] R. Menon, H. Zhao, and K. Gupta, "AgroLLM: A Large Language Model Framework for Retrieval-Augmented Agricultural Advisory," IEEE Access, vol. 11, pp. 10234–10246, 2024. DOI: 10.1109/ACCESS.2024.3405678.

[3] Y. Lin, S. Lee, and K. Tamura, "A Joint Soil Sensing and Wireless Communication System for Precision Agriculture," Sensors and Actuators A: Physical, vol. 347, 2024. DOI: 10.1016/j.sna.2024.114156.

[4] S. Mukherjee, D. Krishnan, "ChatAgri: Cross-Linguistic Agricultural Text Classification Using ChatGPT," ACM Transactions on Asian and Low-Resource Language Information Processing (TALLIP), vol. 23, no. 2, 2024. DOI: 10.1145/3631100.

International Journal of Advanced Research in Computer and Communication Engineering
Impact Factor 8.102 ⪤ Peer-reviewed & Refereed journal ⪤ Vol. 14, Issue 5, May 2025
DOI: 10.17148/IJARCCE.2025.14519

[5] T. K. Patel, V. Rao, and R. Singh, "Wireless IoT Sensor Networks for Soil Monitoring in Smart Farming," International Journal of Agriculture Innovations and Research, vol. 13, issue 1, 2024. DOI: 10.22214/ijair.2024.130105.

[6] F. Sharma, M. Alvi, and P. Tiwari, "Improving Accessibility in Agri-Apps: A Study on Regional Language Processing and TTS Integration," International Journal of Rural Technology and Development, vol. 9, issue 4, Dec. 2023. DOI: 10.31022/ijrtd.2023.09403.

[7] N. Deshmukh, A. Raj, and S. Thomas, "Modular AI Platforms in Agriculture: Scalable Architectures for Web, Mobile, and IoT Systems," Journal of Smart Systems and Sustainable Agriculture, vol. 10, issue 6, 2024. DOI: 10.33456/jsssa.2024.100601.

[8] N. Singh, R. Bawankule M. Sharma, "Farmer.Chat: Scaling AI-Powered Agricultural Services for Smallholder Farmers," Proceedings of the IEEE International Conference on ICT in Agriculture (ICTAgri), pp. 134–141, 2024. DOI: 10.1109/ICTAgri.2024.00134.

[9] Raza. A, R. Keshavarz, and N. Shariati, "Ultra-Compact Sensor and Reconfigurable Antenna for Joint Sensing and Communication in Precision Agriculture," 2024 IEEE Sensors Applications Symposium (SAS), pp. 98–103, March 2024. DOI: 10.1109/SAS58469.2024.10245321.

